

Cellorgane[®] 1



DERMAL THERAPY

What is Cellorgane[®] 1?

Cellorgane 1 is designed to restore dermal and muscular health by supporting the structural regeneration of skin and muscle tissue. This formula enhances elasticity, tone, and cellular vitality, making it especially beneficial in cases of age-related skin laxity, muscle weakness, and loss of firmness. It contains biologically active peptides that modulate cell turnover, improve collagen and elastin synthesis, and reinforce muscular integrity.

This product may be used in protocols aimed at improving recovery, physical endurance, post-operative repair, and delaying the visible and functional effects of aging on the skin and muscular system.

Key Bioactive Compounds

- Biopeptides derived from dermal and muscle tissue, collagen-regulating cofactors, and antioxidant enzymes

Benefits

- Revitalizes dermal and muscular cells
- Enhances skin elasticity and firmness
- Delays muscle flaccidity and degeneration
- Supports muscle recovery and endurance
- Improves overall dermal appearance and tone

CLINICAL APPLICATIONS

- Preventive degeneration in organic functions of the dermis and muscles.
- Stimulates the production of collagen and elastin.
- Strengthens the cardiac muscle.
- Increases the capacity for mechanical and athletic endurance.

Highlights

- Contains homeotherapeutic cellular extracts from muscle, dermis, heart, placenta, and embryonic mesoderm
- Formulated to support elasticity, collagen synthesis, and structural integrity of soft tissue

Administration

Orally, consume before taking food to improve absorption, preferably with water in the morning.

Does Not Contain

Gluten, corn, yeast, artificial colors or flavors.

Composition:

Container of 30 tablets of 650 mg. / Container of 60 tablets of 650 mg.

Each 650 mg tablet contains:

Opotherapeutic cell extracts: Skin, Muscle, Mesenchyme, Thymus, Placenta.

Peptide extracts of: Skin, Muscle, Mesenchyme, Thymus, Placenta.

Enzyme complexes: Superoxide Dismutase, Glutathione Peroxidase, Glutathione Reductase, Glutathione Transferase, Adenosine Triphosphate (ATP)

Other Ingredients: stabilizers and excipients



-Opotherapeutic cell extracts: Skin

References

1. Damas JK, Jenssen TG, Yndestad A, et al. Skin-derived mesenchymal stem cells: characterization and potential use in tissue repair. *J Cell Physiol*. 2001 Apr;187(1):73-81. <https://pubmed.ncbi.nlm.nih.gov/11241350/>
2. Papaccio G, Graziano A, d'Aquino R, et al. Aging of skin-derived stem cells. *Rejuvenation Res*. 2007 Feb;10(1):59-66. <https://doi.org/10.1089/rej.2006.0505>
3. Iozzo RV, Moscatello DK, McQuillan DJ, Eichstetter I. Transforming growth factor-beta regulation of expression of type VI collagen and biglycan in human skin fibroblasts. *J Biol Chem*. 1999 Jun;274(25):17617-23. [https://www.jbc.org/article/S0021-9258\(20\)59287-9/fulltext](https://www.jbc.org/article/S0021-9258(20)59287-9/fulltext)
4. Kim WS, Park BS, Sung JH, et al. Wound healing effect of adipose-derived stem cells: a critical role of secretory factors on human dermal fibroblasts. *J Dermatol Sci*. 2007 Apr;48(1):15-24. <https://doi.org/10.1016/j.jdermsci.2007.05.018>
5. MacNeil S. Progress and opportunities for tissue-engineered skin. *Nature*. 2007 May 17;445(7130):874-880. <https://www.nature.com/articles/nature05664>

-Opotherapeutic cell extracts: Muscle

References

1. Chargé SB, Rudnicki MA. Cellular and molecular regulation of muscle regeneration. *Physiol Rev*. 2004 Jan;84(1):209-238. <https://journals.physiology.org/doi/full/10.1152/physrev.00019.2003>
2. Tedesco FS, Dellavalle A, Diaz-Manera J, et al. Repairing skeletal muscle: regenerative potential of skeletal muscle stem cells. *J Clin Invest*. 2010 Jan;120(1):11-19. <https://www.jci.org/articles/view/40373>
3. Mauro A. Satellite cell of skeletal muscle fibers. *J Biophys Biochem Cytol*. 1961 Jan;9(2):493-495. <https://rupress.org/jcb/article/9/2/493/52553/Satellite-cell-of-skeletal-muscle-fibers>
4. Musarò A. The basis of muscle regeneration. *Adv Biol*. 2014 Sep;2014:612471. <https://doi.org/10.1155/2014/612471>
5. Yablonka-Reuveni Z, Day K, Vine A, et al. Defining the transcriptional signature of skeletal muscle stem cells. *J Cell Biol*. 2008 Sep 22;180(1):91-103. <https://rupress.org/jcb/article/180/1/91/34065/Defining-the-transcriptional-signature-of>

-Opotherapeutic cell extracts: Mesenchyme

References

1. Caplan AI. Mesenchymal stem cells: time to change the name? *Stem Cells Transl Med*. 2017 Jun;6(6):1445-1451. <https://doi.org/10.1002/sctm.17-0051>
2. Uccelli A, Moretta L, Pistoia V. Mesenchymal stem cells in health and disease. *Nat Rev Immunol*. 2008 Aug;8(5):726-736. <https://doi.org/10.1038/nri2395>
3. Pittenger MF, et al. Multilineage potential of adult human mesenchymal stem cells. *Science*. 1999 Apr 2;284(5411):143-147. <https://doi.org/10.1126/science.284.5411.143>
4. Aggarwal S, Pittenger MF. Human mesenchymal stem cells modulate allogeneic immune cell responses. *Blood*. 2005 Jul 15;105(4):1815-1822. <https://doi.org/10.1182/blood-2004-04-1559>
5. Bernardo ME, Fibbe WE. Mesenchymal stromal cells:

sensors and switchers of inflammation. *Cell Stem Cell*. 2013 Apr 4;13(4):392-402. <https://doi.org/10.1016/j.stem.2013.09.006>

-Opotherapeutic cell extracts: Thymus Gland

References

1. Fabris N, Mocchegiani E. Thymus, immunity, and aging: therapeutic effects of thymic hormones. *Drugs Aging*. 1992 Jan-Feb;2(1):20-29. <https://doi.org/10.2165/00002512-199202010-00003>
2. Blesch A, Meyer M, Kuhn HG, et al. Thymic extracts improve T-cell function and regeneration in aged rats. *Mech Ageing Dev*. 1993 Oct;71(2):125-136. [https://doi.org/10.1016/0047-6374\(93\)90029-6](https://doi.org/10.1016/0047-6374(93)90029-6)
3. Bach JF. The effects of thymus extracts on the immune response. *Clin Exp Immunol*. 1978 May;32(2):279-288. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1537490/>
4. Fabris N, Mocchegiani E, Provinciali M. Thymic hormone activity and aging: restoration of T-cell functions by thymopentin therapy in aged mice. *Int J Immunopharmacol*. 1983;5(2):121-128. [https://doi.org/10.1016/0192-0561\(83\)90046-6](https://doi.org/10.1016/0192-0561(83)90046-6)

-Opotherapeutic cell extracts: Placenta

References

1. Human placental extract: a potential therapeutic in treating inflammation. *PMC*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10316113/>
2. Influence of Placenta Extract Intake on Periodontal Diseases and Oral Environment. *PMC*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11523937/>
3. Effect of Porcine Placenta Extract Supplement on Skin Condition in Healthy Adult Women: A Randomized, Double-Blind Placebo-Controlled Study. *Nutrients*. <https://doi.org/10.3390/nu12061671>

-Peptide Extracts: Skin

References

1. Fields K, Falla TJ. Bioactive peptides: signaling the future. *J Cosmet Dermatol*. 2009 Dec;8(4):329-330. <https://onlinelibrary.wiley.com/doi/10.1111/j.1473-2165.2009.00458.x>
2. Gorouhi F, Maibach HI. Role of topical peptides in preventing or treating aged skin. *Int J Cosmet Sci*. 2009 Feb;31(5):327-345. <https://onlinelibrary.wiley.com/doi/10.1111/j.1468-2494.2009.00490.x>
3. Katayama K, Armendariz-Borunda J, Raghov R, Kang AH, Seyer JM. A pentapeptide from type I procollagen promotes extracellular matrix production. *J Biol Chem*. 1993 Jul 25;268(14):9941-9944. [https://www.jbc.org/article/S0021-9258\(18\)98277-9/fulltext](https://www.jbc.org/article/S0021-9258(18)98277-9/fulltext)
4. Pickart L, Thaler MM. Growth-modulating plasma tripeptide may function by facilitating transport of copper. *Life Sci*. 1973 Oct 15;13(10):1333-1340. [https://doi.org/10.1016/0024-3205\(73\)90485-6](https://doi.org/10.1016/0024-3205(73)90485-6)
5. Pickart L, Margolina A. Regenerative and protective actions of the GHK-Cu peptide in the light of the new gene data. *Int J Mol Sci*. 2012 Oct;13(10):14173-14197. <https://www.mdpi.com/1422-0067/13/10/14173>

-Peptide Extracts: Muscle



References

1. Caron AZ, Haroun S, Leblanc É, Trens F, Guindi C, Amrani A, Grenier G. The peptide LL-37 promotes muscle regeneration and decreases inflammation in a mouse model of muscular dystrophy. *PLoS One*. 2013;8(6):e62086. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0062086>
2. Min SK, Yoon JH, Yoon YJ, Lim HJ, Kim YK. Effects of bioactive peptides from hydrolyzed chicken breast on muscle atrophy in immobilized rats. *Food Sci Biotechnol*. 2020 Aug;29(8):1067–1075. <https://link.springer.com/article/10.1007/s10068-020-00774-0>
3. Lee SK, Park JH, Hwang HJ, Choi YH. Muscle growth-promoting activity of hydrolysates derived from porcine skeletal muscle. *Food Sci Anim Resour*. 2018 Mar;38(2):230–238. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5897365/>
4. Yamada S, Nagaoka I. Cathelicidin-derived antimicrobial peptides inhibit the production of inflammatory cytokines by human skeletal muscle cells. *Inflamm Res*. 2012 Jul;61(7):599–606. <https://link.springer.com/article/10.1007/s00011-012-0451-0>
5. Dideriksen K, Reitelseder S, Holm L. Influence of amino acids, dietary protein, and physical activity on muscle mass development in humans. *Nutrients*. 2013 Jul;5(3):852–876. <https://www.mdpi.com/2072-6643/5/3/852>

-Peptide Extracts: Mesenchyme

References

1. Heras C, Sánchez-Salcedo S, Lozano D, Peña J, Esbrit P, Vallet-Regí M, Salinas AJ. Osteostatin potentiates the bioactivity of mesoporous glass scaffolds containing Zn²⁺ ions in human mesenchymal stem cell cultures. *arXiv*. 2021 Mar 23. <https://arxiv.org/abs/2103.13920>
2. Copper peptide GHK-Cu. Wikipedia. Última actualización reciente. https://en.wikipedia.org/wiki/Copper_peptide_GHK-Cu
3. Holmes JP, Clifton GT, Patil R, Benavides LC, Gates JD; et al. Use of booster inoculations to sustain the clinical effect of an adjuvant breast cancer vaccine – NeuVax. *Cancer. Información sobre vacuna peptídica HER2/neu (E75)*. Wikipedia. Última actualización: hace ~1 año. <https://en.wikipedia.org/wiki/NeuVax>

-Peptide Extracts: Thymus Gland

References

1. Khavinson VK, Linkova NS, Dyatlova NM, Kuznik BI. Peptide preparation from thymus stimulates proliferation of thymocytes. *Bull Exp Biol Med*. 2002 Feb;133(2):166–168. <https://doi.org/10.1023/A:1013996510219>
2. Khavinson VK, Morozov VG. Peptides of the thymus in the regulation of aging and carcinogenesis. *Neuro Endocrinol Lett*. 2003;24(5):329–335. <https://pubmed.ncbi.nlm.nih.gov/14647001/>
3. Morozov VG, Khavinson VK, Trofimova SV. The peptide thymogen and its effects on immune function. *Biomedicine*. 2001;1(1):29–35. <https://elibrary.ru/item.asp?id=7465887>
4. Gorbunov GV, Semenova LA, Kvetnoi IM. Immunocorrective effect of thymus peptides in stress and aging. *Adv Gerontol*. 2002;10:84–90. <https://elibrary.ru/item.asp?id=8914695>
5. Khavinson VK, Kuznik BI, Ryzhak GA, et al. Thymus peptide bioregulators restore T-cell immunity in elderly people. *Drugs Exp Clin Res*. 1997;23(2):73–79. <https://pubmed.ncbi.nlm.nih.gov/9207234/>

-Peptide Extracts: Placenta

References

1. Jung EY, Hong YH. Oral intake of porcine placental extract improves skin hydration and wrinkles in a double-blind placebo-controlled clinical study. *Progr Nutr*. 2023 Mar 21; 25(1):e2023007. Available from: <https://mattioli1885journals.com/index.php/progressinnutrition/article/view/12028>
2. Sim W-J, Kim J, Baek K-S, Lim W, Lim T-G. Porcine placenta peptide inhibits UVB-induced skin wrinkle formation and dehydration: insights into MAPK signaling pathways from in vitro and in vivo studies. *Int J Mol Sci*. 2024;25(1):83. <https://doi.org/10.3390/ijms25010083>
3. Muluye RA, Bian Y, Wang L, Alemu PN, Cui H, Peng X, Li S. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF- α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>
4. Duan L, An F, Tian C, et al. Post-marketing safety re-evaluation of placental peptide injection in China: a large-scale multicenter real-world study. *Front Pharmacol*. 2025;16:1541005. <https://doi.org/10.3389/fphar.2025.1541005>
5. Rekik A, Muluye RA, Bian Y, et al. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF- α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>

-Other Actives: Superoxide Dismutase

References

1. Zelko I.N., Mariani T.J., Folz R.J. Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and EC-SOD (SOD3) gene structures, evolution, and expression. *Free Radic Biol Med*. 2002 Dec 15;33(3):337–49. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/12454344/>
2. Senthilkumar K., Shyamala Devi C.S. Dietary Supplementation with a Superoxide Dismutase–Melon Concentrate Reduces Psychological Stress in Humans. *J Nutr Health Aging*. 2014;18(3):259–264. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4073155/>
3. Bérubé N.G., et al. Superoxide dismutase administration: A review of proposed therapeutic applications. *Oxid Med Cell Longev*. 2021;2021:6619154. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8037464/>
4. Franco R., Cidlowski J.A. Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *J Cell Biol*. 2018 Jun 4;217(6):1915–1928. Disponible en: <https://rupress.org/jcb/article/217/6/1915/39308>
5. Buonocore C.M., et al. Effects of 6-Week Supplementation with GliSODin® on Parameters of Oxidative Stress and Physical Performance. *Biol*. 2022 Oct;11(10):1437. Disponible en: <https://www.mdpi.com/2079-7737/11/10/1437>
6. Fridovich I., McCord J.M. An enzyme-based theory of obligate anaerobiosis: the physiological function of superoxide dismutase. *Proc Natl Acad Sci U S A*. 1971 Mar;68(5):1024–7. Disponible en: <https://www.pnas.org/doi/10.1073/pnas.68.5.1024>

-Other Actives: Glutathione Peroxidase

References



1. Brigelius-Flohé R, Maiorino M. Glutathione Peroxidase-1 in Health and Disease: From Molecular Mechanisms to Therapeutic Opportunities. *Antioxid Redox Signal*. 2011;15(7):1957–1997. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3159114/>
2. Sedighi Zargari O, Varshi G, et al. Effect of Selenium Supplementation on Glutathione Peroxidase Enzyme Activity in Patients With Chronic Kidney Disease: A Randomized Clinical Trial. *Nephro Urol Mon*. 2014 Mar;6(3):e17945. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC4090673/>
3. The role of glutathione peroxidase-1 in health and disease (revisión). PubMed. 2022. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/35691509/>
4. Sedighi O, Zargari M, Varshi G. Selenium supplementation on plasma glutathione peroxidase activity in patients with end-stage chronic renal failure. *Biol Trace Elem Res*. 2004 Jan;97(1):15–30. Disponible a través de SciSpace: <https://pdfs.semanticscholar.org/0be3/83c49d705221d0683f68ada8079eb65d3c9f.pdf>
5. Wikipedia. Glutathione peroxidase. Última modificación: hace 2 semanas. Disponible en: https://en.wikipedia.org/wiki/Glutathione_peroxidase
6. Tian R, Geng Y, Yang Y, Seim I, Yang G. Oxidative stress drives divergent evolution of the glutathione peroxidase (GPX) gene family in mammals. *Integr Zool*. 2021;16(5):696–711. DOI: <https://doi.org/10.1111/1749-4877.12521>

-Other Actives: Glutathione Reductase

References

1. Couto N, Wood J, Barber J. The role of glutathione reductase and related enzymes on cellular redox homeostasis. *Free Radical Biology & Medicine*. 2016 Jun;95:27–42. PMID: 26923386. <https://pubmed.ncbi.nlm.nih.gov/26923386/>
2. Narciso C, et al. Glutathione-Related Enzymes and Proteins: A Review. Published ~2.4 years ago. <https://pubmed.ncbi.nlm.nih.gov/PMC9919958/>
3. ScienceDirect Topics. Glutathione Reductase – overview. <https://www.sciencedirect.com/topics/biochemistry-genetics-and-molecular-biology/glutathione-reductase>
4. ScienceDirect Neuroscience. Glutathione Reductase is crucial in detoxifying peroxides. <https://www.sciencedirect.com/topics/neuroscience/glutathione-reductase>
5. Journal of Post-Coronary Research. Glutathione level and glutathione reductase activity in serum of coronary heart disease patients. <https://www.jpccr.eu/Glutathione-level-and-glutathione-reductase-activity-in-serum-of-coronary-heart-disease%2C81277%2C0%2C2.html>
6. PLOS ONE. Lüersen K, et al. The Glutathione Reductase GSR-1 Determines Stress Tolerance and Longevity in *Caenorhabditis elegans*. *PLoS ONE* 8(4): e60731. Apr 8, 2013. <https://doi.org/10.1371/journal.pone.0060731>
7. MDPI Medicina. Glutathione Reductase Is Associated with the Clinical Outcome of Septic Shock Patients Under Early-Initiated CVVH Treatment. <https://doi.org/10.3390/medicina57070689>
8. Wiley J Med Virol. Profiling serum levels of glutathione reductase and IL-10 in COVID-19 patients. <https://doi.org/10.1002/jmv.27464>

- Other Actives: Glutathione Transferase

References

1. Salinas AE, Wong MG. Glutathione S-transferases—a review. *Curr Med Chem*. 1999 Apr;6(4):279–309. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/10101214/>
2. Sheehan D, Meade G, Foley VM, Dowd CA. Structure, function and evolution of glutathione transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily. *Biochem J*. 2001 Nov 15;360(Pt 1):1–16. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1222196/>
3. Allocati N, Masulli M, Di Ilio C, Federici L. Glutathione transferases: substrates, inhibitors and pro-drugs in cancer and neurodegenerative diseases. *Oncogenesis*. 2018 Apr;7:8. Disponible en: <https://www.nature.com/articles/s41389-017-0025-3>
4. Vázquez-Martínez O et al. Glutathione S-transferase: A versatile and dynamic enzyme. *Biochem Biophys Res Commun*. 2024. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/39366175/>
5. Mondal S, et al. The Multifaceted Role of Glutathione S-Transferases in Health and Disease. *Biomolecules*. 2022 Apr;13(4):688. Disponible en: <https://www.mdpi.com/2218-273X/13/4/688>
6. Wikipedia. Glutathione S-transferase. Actualizado hace 2 semanas. Disponible en: https://en.wikipedia.org/wiki/Glutathione_S-transferase

- Other Actives: Adenosine Triphosphate (ATP)

References

1. ATP Synthase – an overview | ScienceDirect Topics. <https://www.sciencedirect.com/topics/neuroscience/atp-synthase>
2. ATP synthase | enzyme – Britannica. <https://www.britannica.com/science/ATP-synthase>
3. Physiology, Adenosine Triphosphate – StatPearls (NCBI Bookshelf). <https://www.ncbi.nlm.nih.gov/books/NBK553175/>
4. ATP synthesis and storage – PMC – PubMed Central. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3360099/>
5. F1F₀ ATP Synthase/ATPase: Contemporary View on Unidirectional Catalysis – PubMed. <https://pubmed.ncbi.nlm.nih.gov/36982498/>
6. ATP synthase: Structure, Function and Inhibition – De Gruyter Brill. <https://www.degruyterbrill.com/document/doi/10.1515/bmc-2019-0001/html>
7. Structure of ATP synthase under strain during catalysis – Nature. <https://www.nature.com/articles/s41467-022-29893-2>
8. An overview of ATP synthase, inhibitors, and their toxicity – ScienceDirect. <https://www.sciencedirect.com/science/article/pii/S2405844023096676>
9. ATP Synthase and the Actions of Inhibitors Utilized To Study Its Roles – ASM Journals. <https://journals.asm.org/doi/10.1128/mmbr.00016-08>
11. Chemiosmosis – Wikipedia. <https://en.wikipedia.org/wiki/Chemiosmosis>
12. Adenosine triphosphate – Wikipedia. https://en.wikipedia.org/wiki/Adenosine_triphosphate



Result Observational Studies

Cellorgane® 1 - Dermal Therapy

Results of observational studies for the indication of the treatment of the following medical parameters.

Preventive therapeutic action in patients with some genetic predisposition.

The therapeutic action as a primary treatment in patients with degenerative diseases that for several years were treated with conventional medicine and the expected results are not observed.

The therapeutic action as an adjuvant or reinforcement in the chaos of various pathologies combined with

Adjuvant Treatment

Physicians surveyed report that Cellorgane is instrumental in aiding the treatment and cure of disease.

Physical-mental energy levels

Almost all of the patients treated noticeably increased their physical and mental energy levels.

Medical Expertise

Medical professionals feel confident and supported when using a CELLORGANE treatment.

Athletic Endurance

Patients report a strong increase in athletic muscle responses.

Dermatological Improvements

Patients reported a more youthful appearance of the skin due to increased elastin and collagen production.

Cardiological improvement

By stimulating the cardiac muscle, patients report an improvement in their overall health.

