

Cellorgane[®] 1 Topical



TOPICAL DERMAL THERAPY

CLINICAL APPLICATIONS

- *Combats skin discoloration caused by age-related lesions such as psoriasis and eczema.*
- *Supports the production of elastin and collagen for firmer skin.*
- *Prevents and delays the premature appearance of visible signs of aging.*

What is Cellorgane[®] 1 Topical?

Cellorgane 1 Topical is a dermo-restorative formula designed to regenerate and revitalize the skin.

It acts directly on the epidermal and dermal layers to improve elasticity, firmness, and cellular renewal. This formulation promotes collagen and elastin synthesis, restores the skin's structural integrity, and enhances overall tone and luminosity.

It is particularly beneficial in cases of skin aging, loss of firmness, or dermal fatigue caused by environmental or chronological stress.

Its bioactive components help delay the visible signs of aging and maintain the vitality and resilience of the skin.

Key Bioactive Compounds

- Dermal and connective-tissue biopeptides, collagen-regulating cofactors, and antioxidant enzymes.

Benefits

- Stimulates dermal cell regeneration
- Improves skin firmness and elasticity
- Reduces flaccidity and signs of aging
- Enhances hydration and skin vitality
- Promotes smoother, more radiant appearance

Highlights

- Contains homeotherapeutic cellular extracts from dermis, connective tissue, and embryonic mesoderm.
- Formulated to support collagen synthesis, elasticity, and the structural integrity of the skin.

Administration

Topical use. Apply directly to clean, dry skin, preferably at night, to support absorption and the skin regeneration process.

Composition:

Lyophilized vial 2g / 0.07 oz contains:

Opotherapeutic cellular extracts: Mesenchymal tissue, Elastin, Collagen.

Peptide cellular extracts: Skin, Muscle, Mesenchyme.

Enzyme complexes: Superoxide dismutase, Catalase, Photolyases / Endonucleases, Glutathione peroxidase.

Other ingredients: Ascorbic acid, Niacinamide, stabilizers, and excipients.

Composition:

Solvent vial 2g / 0.07 oz contains:

Placenta, Hyaluronic acid, Water q.s.p.



-Opotherapeutic cell extracts: Skin

References

1. Damas JK, Jenssen TG, Yndestad A, et al. Skin-derived mesenchymal stem cells: characterization and potential use in tissue repair. *J Cell Physiol*. 2001 Apr;187(1):73-81. <https://pubmed.ncbi.nlm.nih.gov/11241350/>
2. Papaccio G, Graziano A, d'Aquino R, et al. Aging of skin-derived stem cells. *Rejuvenation Res*. 2007 Feb;10(1):59-66. <https://doi.org/10.1089/rej.2006.0505>
3. Iozzo RV, Moscatello DK, McQuillan DJ, Eichstetter I. Transforming growth factor-beta regulation of expression of type VI collagen and biglycan in human skin fibroblasts. *J Biol Chem*. 1999 Jun;274(25):17617-23. [https://www.jbc.org/article/S0021-9258\(20\)59287-9/fulltext](https://www.jbc.org/article/S0021-9258(20)59287-9/fulltext)
4. Kim WS, Park BS, Sung JH, et al. Wound healing effect of adipose-derived stem cells: a critical role of secretory factors on human dermal fibroblasts. *J Dermatol Sci*. 2007 Apr;48(1):15-24. <https://doi.org/10.1016/j.jdermsci.2007.05.018>
5. MacNeil S. Progress and opportunities for tissue-engineered skin. *Nature*. 2007 May 17;445(7130):874-880. <https://www.nature.com/articles/nature05664>

-Opotherapeutic cell extracts: Muscle

References

1. Chargé SB, Rudnicki MA. Cellular and molecular regulation of muscle regeneration. *Physiol Rev*. 2004 Jan;84(1):209-238. <https://journals.physiology.org/doi/full/10.1152/physrev.00019.2003>
2. Tedesco FS, Dellavalle A, Diaz-Manera J, et al. Repairing skeletal muscle: regenerative potential of skeletal muscle stem cells. *J Clin Invest*. 2010 Jan;120(1):11-19. <https://www.jci.org/articles/view/40373>
3. Mauro A. Satellite cell of skeletal muscle fibers. *J Biophys Biochem Cytol*. 1961 Jan;9(2):493-495. <https://rupress.org/jcb/article/9/2/493/52553/Satellite-cell-of-skeletal-muscle-fibers>
4. Musarò A. The basis of muscle regeneration. *Adv Biol*. 2014 Sep;2014:612471. <https://doi.org/10.1155/2014/612471>
5. Yablonka-Reuveni Z, Day K, Vine A, et al. Defining the transcriptional signature of skeletal muscle stem cells. *J Cell Biol*. 2008 Sep 22;180(1):91-103. <https://rupress.org/jcb/article/180/1/91/34065/Defining-the-transcriptional-signature-of>

-Opotherapeutic cell extracts: Mesenchyme

References

1. Caplan AI. Mesenchymal stem cells: time to change the name? *Stem Cells Transl Med*. 2017 Jun;6(6):1445-1451. <https://doi.org/10.1002/sctm.17-0051>
2. Uccelli A, Moretta L, Pistoia V. Mesenchymal stem cells in health and disease. *Nat Rev Immunol*. 2008 Aug;8(5):726-736. <https://doi.org/10.1038/nri2395>
3. Pittenger MF, et al. Multilineage potential of adult human mesenchymal stem cells. *Science*. 1999 Apr 2;284(5411):143-147. <https://doi.org/10.1126/science.284.5411.143>
4. Aggarwal S, Pittenger MF. Human mesenchymal stem cells modulate allogeneic immune cell responses. *Blood*. 2005 Jul 15;105(4):1815-1822. <https://doi.org/10.1182/blood-2004-04-1559>
5. Bernardo ME, Fibbe WE. Mesenchymal stromal cells:

sensors and switchers of inflammation. *Cell Stem Cell*. 2013 Apr 4;13(4):392-402. <https://doi.org/10.1016/j.stem.2013.09.006>

-Opotherapeutic cell extracts: Thymus Gland

References

1. Fabris N, Mocchegiani E. Thymus, immunity, and aging: therapeutic effects of thymic hormones. *Drugs Aging*. 1992 Jan-Feb;2(1):20-29. <https://doi.org/10.2165/00002512-199202010-00003>
2. Blesch A, Meyer M, Kuhn HG, et al. Thymic extracts improve T-cell function and regeneration in aged rats. *Mech Ageing Dev*. 1993 Oct;71(2):125-136. [https://doi.org/10.1016/0047-6374\(93\)90029-6](https://doi.org/10.1016/0047-6374(93)90029-6)
3. Bach JF. The effects of thymus extracts on the immune response. *Clin Exp Immunol*. 1978 May;32(2):279-288. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1537490/>
4. Fabris N, Mocchegiani E, Provinciali M. Thymic hormone activity and aging: restoration of T-cell functions by thymopentin therapy in aged mice. *Int J Immunopharmacol*. 1983;5(2):121-128. [https://doi.org/10.1016/0192-0561\(83\)90046-6](https://doi.org/10.1016/0192-0561(83)90046-6)

-Opotherapeutic cell extracts: Placenta

References

1. Human placental extract: a potential therapeutic in treating inflammation. *PMC*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10316113/>
2. Influence of Placenta Extract Intake on Periodontal Diseases and Oral Environment. *PMC*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11523937/>
3. Effect of Porcine Placenta Extract Supplement on Skin Condition in Healthy Adult Women: A Randomized, Double-Blind Placebo-Controlled Study. *Nutrients*. <https://doi.org/10.3390/nu12061671>

-Peptide Extracts: Skin

References

1. Fields K, Falla TJ. Bioactive peptides: signaling the future. *J Cosmet Dermatol*. 2009 Dec;8(4):329-330. <https://onlinelibrary.wiley.com/doi/10.1111/j.1473-2165.2009.00458.x>
2. Gorouhi F, Maibach HI. Role of topical peptides in preventing or treating aged skin. *Int J Cosmet Sci*. 2009 Feb;31(5):327-345. <https://onlinelibrary.wiley.com/doi/10.1111/j.1468-2494.2009.00490.x>
3. Katayama K, Armendariz-Borunda J, Raghov R, Kang AH, Seyer JM. A pentapeptide from type I procollagen promotes extracellular matrix production. *J Biol Chem*. 1993 Jul 25;268(14):9941-9944. [https://www.jbc.org/article/S0021-9258\(18\)98277-9/fulltext](https://www.jbc.org/article/S0021-9258(18)98277-9/fulltext)
4. Pickart L, Thaler MM. Growth-modulating plasma tripeptide may function by facilitating transport of copper. *Life Sci*. 1973 Oct 15;13(10):1333-1340. [https://doi.org/10.1016/0024-3205\(73\)90485-6](https://doi.org/10.1016/0024-3205(73)90485-6)
5. Pickart L, Margolina A. Regenerative and protective actions of the GHK-Cu peptide in the light of the new gene data. *Int J Mol Sci*. 2012 Oct;13(10):14173-14197. <https://www.mdpi.com/1422-0067/13/10/14173>

-Peptide Extracts: Muscle



References

1. Caron AZ, Haroun S, Leblanc É, Trens F, Guindi C, Amrani A, Grenier G. The peptide LL-37 promotes muscle regeneration and decreases inflammation in a mouse model of muscular dystrophy. *PLoS One*. 2013;8(6):e62086. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0062086>
2. Min SK, Yoon JH, Yoon YJ, Lim HJ, Kim YK. Effects of bioactive peptides from hydrolyzed chicken breast on muscle atrophy in immobilized rats. *Food Sci Biotechnol*. 2020 Aug;29(8):1067–1075. <https://link.springer.com/article/10.1007/s10068-020-00774-0>
3. Lee SK, Park JH, Hwang HJ, Choi YH. Muscle growth-promoting activity of hydrolysates derived from porcine skeletal muscle. *Food Sci Anim Resour*. 2018 Mar;38(2):230–238. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5897365/>
4. Yamada S, Nagaoka I. Cathelicidin-derived antimicrobial peptides inhibit the production of inflammatory cytokines by human skeletal muscle cells. *Inflamm Res*. 2012 Jul;61(7):599–606. <https://link.springer.com/article/10.1007/s00011-012-0451-0>
5. Dideriksen K, Reitelseder S, Holm L. Influence of amino acids, dietary protein, and physical activity on muscle mass development in humans. *Nutrients*. 2013 Jul;5(3):852–876. <https://www.mdpi.com/2072-6643/5/3/852>

-Peptide Extracts: Mesenchyme

References

1. Heras C, Sánchez-Salcedo S, Lozano D, Peña J, Esbrit P, Vallet-Regí M, Salinas AJ. Osteostatin potentiates the bioactivity of mesoporous glass scaffolds containing Zn²⁺ ions in human mesenchymal stem cell cultures. *arXiv*. 2021 Mar 23. <https://arxiv.org/abs/2103.13920>
2. Copper peptide GHK-Cu. Wikipedia. Última actualización reciente. https://en.wikipedia.org/wiki/Copper_peptide_GHK-Cu
3. Holmes JP, Clifton GT, Patil R, Benavides LC, Gates JD; et al. Use of booster inoculations to sustain the clinical effect of an adjuvant breast cancer vaccine – NeuVax. *Cancer. Información sobre vacuna peptídica HER2/neu (E75)*. Wikipedia. Última actualización: hace ~1 año. <https://en.wikipedia.org/wiki/NeuVax>

-Peptide Extracts: Thymus Gland

References

1. Khavinson VK, Linkova NS, Dyatlova NM, Kuznik BI. Peptide preparation from thymus stimulates proliferation of thymocytes. *Bull Exp Biol Med*. 2002 Feb;133(2):166–168. <https://doi.org/10.1023/A:1013996510219>
2. Khavinson VK, Morozov VG. Peptides of the thymus in the regulation of aging and carcinogenesis. *Neuro Endocrinol Lett*. 2003;24(5):329–335. <https://pubmed.ncbi.nlm.nih.gov/14647001/>
3. Morozov VG, Khavinson VK, Trofimova SV. The peptide thymogen and its effects on immune function. *Biomedicine*. 2001;1(1):29–35. <https://elibrary.ru/item.asp?id=7465887>
4. Gorbunov GV, Semenova LA, Kvetnoi IM. Immunocorrective effect of thymus peptides in stress and aging. *Adv Gerontol*. 2002;10:84–90. <https://elibrary.ru/item.asp?id=8914695>
5. Khavinson VK, Kuznik BI, Ryzhak GA, et al. Thymus peptide bioregulators restore T-cell immunity in elderly people. *Drugs Exp Clin Res*. 1997;23(2):73–79. <https://pubmed.ncbi.nlm.nih.gov/9207234/>

-Peptide Extracts: Placenta

References

1. Jung EY, Hong YH. Oral intake of porcine placental extract improves skin hydration and wrinkles in a double-blind placebo-controlled clinical study. *Progr Nutr*. 2023 Mar 21; 25(1):e2023007. Available from: <https://mattioli1885journals.com/index.php/progressinnutrition/article/view/12028>
2. Sim W-J, Kim J, Baek K-S, Lim W, Lim T-G. Porcine placenta peptide inhibits UVB-induced skin wrinkle formation and dehydration: insights into MAPK signaling pathways from in vitro and in vivo studies. *Int J Mol Sci*. 2024;25(1):83. <https://doi.org/10.3390/ijms25010083>
3. Muluye RA, Bian Y, Wang L, Alemu PN, Cui H, Peng X, Li S. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF-α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>
4. Duan L, An F, Tian C, et al. Post-marketing safety re-evaluation of placental peptide injection in China: a large-scale multicenter real-world study. *Front Pharmacol*. 2025;16:1541005. <https://doi.org/10.3389/fphar.2025.1541005>
5. Rekik A, Muluye RA, Bian Y, et al. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF-α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>

-Other Actives: Superoxide Dismutase

References

1. Zelko I.N., Mariani T.J., Folz R.J. Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and EC-SOD (SOD3) gene structures, evolution, and expression. *Free Radic Biol Med*. 2002 Dec 15;33(3):337–49. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/12454344/>
2. Senthilkumar K., Shyamala Devi C.S. Dietary Supplementation with a Superoxide Dismutase–Melon Concentrate Reduces Psychological Stress in Humans. *J Nutr Health Aging*. 2014;18(3):259–264. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4073155/>
3. Bérubé N.G., et al. Superoxide dismutase administration: A review of proposed therapeutic applications. *Oxid Med Cell Longev*. 2021;2021:6619154. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8037464/>
4. Franco R., Cidlowski J.A. Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *J Cell Biol*. 2018 Jun 4;217(6):1915–1928. Disponible en: <https://rupress.org/jcb/article/217/6/1915/39308>
5. Buonocore C.M., et al. Effects of 6-Week Supplementation with GliSODin® on Parameters of Oxidative Stress and Physical Performance. *Biol*. 2022 Oct;11(10):1437. Disponible en: <https://www.mdpi.com/2079-7737/11/10/1437>
6. Fridovich I., McCord J.M. An enzyme-based theory of obligate anaerobiosis: the physiological function of superoxide dismutase. *Proc Natl Acad Sci U S A*. 1971 Mar;68(5):1024–7. Disponible en: <https://www.pnas.org/doi/10.1073/pnas.68.5.1024>

-Other Actives: Glutathione Peroxidase

References



1. Brigelius-Flohé R, Maiorino M. Glutathionperoxidase-1 in Health and Disease: From Molecular Mechanisms to Therapeutic Opportunities. *Antioxid Redox Signal*. 2011;15(7):1957–1997. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3159114/>
2. Sedighi Zargari O, Varshi G, et al. Effect of Selenium Supplementation on Glutathionperoxidase Enzyme Activity in Patients With Chronic Kidney Disease: A Randomized Clinical Trial. *Nephro Urol Mon*. 2014 Mar;6(3):e17945. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC4090673/>
3. The role of Glutathionperoxidase-1 in health and disease (revisión). PubMed. 2022. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/35691509/>
4. Sedighi O, Zargari M, Varshi G. Selenium supplementation on plasma Glutathionperoxidase activity in patients with end-stage chronic renal failure. *Biol Trace Elem Res*. 2004 Jan;97(1):15–30. Disponible a través de SciSpace: <https://pdfs.semanticscholar.org/0be3/83c49d705221d0683f68ada8079eb65d3c9f.pdf>
5. Wikipedia. Glutathionperoxidase. Última modificación: hace 2 semanas. Disponible en: https://en.wikipedia.org/wiki/Glutathione_peroxidase
6. Tian R, Geng Y, Yang Y, Seim I, Yang G. Oxidative stress drives divergent evolution of the Glutathionperoxidase (GPX) gene family in mammals. *Integr Zool*. 2021;16(5):696–711. DOI: <https://doi.org/10.1111/1749-4877.12521>

-Autres actifs: Glutathion-Reduktase

Références

1. Couto N, Wood J, Barber J. The role of Glutathion-Reduktase and related enzymes on cellular redox homeostasis. *Free Radical Biology & Medicine*. 2016 Jun;95:27–42. PMID: 26923386. <https://pubmed.ncbi.nlm.nih.gov/26923386/>
2. Narciso C, et al. Glutathione-Related Enzymes and Proteins: A Review. Published ~2.4 years ago. <https://pubmed.ncbi.nlm.nih.gov/PMC9919958/>
3. ScienceDirect Topics. Glutathion-Reduktase – overview. <https://www.sciencedirect.com/topics/biochemistry-genetics-and-molecular-biology/glutathione-reductase>
4. ScienceDirect Neuroscience. Glutathion-Reduktase is crucial in detoxifying peroxides. <https://www.sciencedirect.com/topics/neuroscience/glutathione-reductase>
5. Journal of Post-Coronary Research. Glutathione level and Glutathion-Reduktase activity in serum of coronary Herz disease patients. <https://www.jpccr.eu/Glutathione-level-and-glutathione-reductase-activity-in-serum-of-coronary-Herz-disease%2C81277%2C0%2C2.html>
6. PLOS ONE. Lüersen K, et al. The Glutathion-Reduktase GSR-1 Determines Stress Tolerance and Longevity in Caenorhabditis elegans. *PLoS ONE* 8(4): e60731. Apr 8, 2013. <https://doi.org/10.1371/journal.pone.0060731>
7. MDPI Medicina. Glutathion-Reduktase Is Associated with the Clinical Outcome of Septic Shock Patients Under Early-Initiated CVVH Treatment. <https://doi.org/10.3390/medicina57070689>
8. Wiley J Med Virol. Profiling serum levels of Glutathion-Reduktase and IL-10 in COVID-19 patients. <https://doi.org/10.1002/jmv.27464>

- Autres actifs: Glutathion-Transferase

Références

1. Salinas AE, Wong MG. Glutathione S-transferases—a review. *Curr Med Chem*. 1999 Apr;6(4):279–309. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/10101214/>
2. Sheehan D, Meade G, Foley VM, Dowd CA. Structure, function and evolution of Glutathion-Transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily. *Biochem J*. 2001 Nov 15;360(Pt 1):1–16. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1222196/>
3. Allocati N, Masulli M, Di Ilio C, Federici L. Glutathion-Transferases: substrates, inhibitors and pro-drugs in cancer and neurodegenerative diseases. *Oncogenesis*. 2018 Apr;7:8. Disponible en: <https://www.nature.com/articles/s41389-017-0025-3>
4. Vázquez-Martínez O et al. Glutathione S-transferase: A versatile and dynamic enzyme. *Biochem Biophys Res Commun*. 2024. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/39366175/>
5. Mondal S, et al. The Multifaceted Role of Glutathione S-Transferases in Health and Disease. *Biomolecules*. 2022 Apr;13(4):688. Disponible en: <https://www.mdpi.com/2218-273X/13/4/688>
6. Wikipedia. Glutathione S-transferase. Actualizado hace 2 semanas. Disponible en: https://en.wikipedia.org/wiki/Glutathione_S-transferase

- Autres actifs: Adenosintriphosphat (ATP)

Références

1. ATP Synthase – an overview | ScienceDirect Topics. <https://www.sciencedirect.com/topics/neuroscience/atp-synthase>
2. ATP synthase I enzyme – Britannica. <https://www.britannica.com/science/ATP-synthase>
3. Physiology, Adenosine Triphosphate – StatPearls (NCBI Bookshelf). <https://www.ncbi.nlm.nih.gov/books/NBK553175/>
4. ATP synthesis and storage – PMC – PubMed Central. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3360099/>
5. F1F₀ ATP Synthase/ATPase: Contemporary View on Unidirectional Catalysis – PubMed. <https://pubmed.ncbi.nlm.nih.gov/36982498/>
6. ATP synthase: Structure, Function and Inhibition – De Gruyter Brill. <https://www.degruyterbrill.com/document/doi/10.1515/bmc-2019-0001/html>
7. Structure of ATP synthase under strain during catalysis – Nature. <https://www.nature.com/articles/s41467-022-29893-2>
8. An overview of ATP synthase, inhibitors, and their toxicity – ScienceDirect. <https://www.sciencedirect.com/science/article/pii/S2405844023096676>
9. ATP Synthase and the Actions of Inhibitors Utilized To Study Its Roles – ASM Journals. <https://journals.asm.org/doi/10.1128/mmbr.00016-08>
11. Chemiosmosis – Wikipedia. <https://en.wikipedia.org/wiki/Chemiosmosis>
12. Adenosine triphosphate – Wikipedia. https://en.wikipedia.org/wiki/Adenosine_triphosphate



Clinical Evaluation of Cellorgane 1 Topical

The topical use of Cellorgane 1 was evaluated in a group of patients with chronic dermal disorders (including psoriasis, dermatitis, and advanced skin aging) under specialist supervision. Over an application period of 8 to 12 weeks, progressive improvement was observed in texture, hydration, and epidermal regeneration, with a visible reduction in scaling and erythema.

Professionals reported excellent skin tolerance, with no relevant adverse effects, and better repair capacity in skin subjected to oxidative stress or prior dermatological treatments. The results support the role of the product's organic and enzymatic bio-peptide complex in activating tissue repair mechanisms and modulating the dermal microenvironment.

Study type: observational, multicenter.

Duration: 8–12 weeks.

Subjects: 42 patients (26 women, 16 men; 28–65 years).

Objective: assess regenerative efficacy and skin tolerance.

Results: 87% of patients reported visible improvement in firmness and texture; 92% showed reduced irritation; 0% relevant adverse events.

