

Cellorgane[®] 7



NEURO CENTRAL THERAPY

CLINICAL APPLICATIONS

- *Migraine.*
- *Headache.*
- *Neuralgia.*
- *Back pain.*
- *Sciatica.*
- *Endocrine dysfunction.*

What is Cellorgane 7?

Cellorgane 7 targets the central nervous system to enhance cognitive function, support neuronal repair, and preserve neurovascular communication. It's well-suited for those facing memory decline, neurological stress, or age-related cognitive impairment.

This formula revitalizes brain cells and supports neuroplasticity while offering protection against oxidative damage.

Key Bioactive Compounds

- Brain-specific biopeptides, Biolastin, and antioxidant enzyme complexes.

Benefits

- Enhances memory, concentration, and cognitive clarity
- Revitalizes neural tissue and improves neuronal communication
- Reduces neurological fatigue and burnout
- Protects against cognitive decline and neurodegeneration
- Supports neurovascular health and resilience

Highlights

- Contains homeotherapeutic cellular extracts for neural regeneration
- Includes Biolastin for neuroprotective antioxidant activity

Administration

Orally, consume before taking food to improve absorption, preferably with water in the morning.

Composition:

Boxes of 30 tablets of 650 mg. / Boxes of 60 tablets of 650 mg.

Each 650 mg tablet contains:

Opothérapeutic cell extracts: Brain, Hypothalamus, Pituitary gland (pituitary).

Peptide extracts from: Brain, Hypothalamus, Pituitary gland (pituitary).

Enzyme complexes: Superoxide Dismutase, Glutathione Peroxidase, Glutathione Reductase, Glutathione Transferase, Adenosine Triphosphate (ATP)

Other Ingredients: stabilizers and excipients.



- Opothherapeutic cell extract: Brain

References

1. Benninger F, et al. Brain protection using autologous bone marrow cells after experimental stroke. *Stroke*. 2007;38(2):690-698. <https://pubmed.ncbi.nlm.nih.gov/1805552/>
2. Filippenkov IB, Shpetko YY, Stavchansky VV, Denisova AE, et al. ACTH-like peptides compensate rat brain gene expression disrupted by ischemia a day after experimental stroke. *Biomedicines*. 2024 Dec 13;12(12):2830. <https://pubmed.ncbi.nlm.nih.gov/11673339/>
3. Florijn WJ, Mulder AH, Kroese ABA, Versteeg DHG. ACTH/MSH-like peptides stimulate [³H]-dopamine release and cAMP production in brain slices; evidence for a MSH receptor-coupled mechanism. *Soc Neurosci Abstr*. 1991;17(1):801. <https://research.wur.nl/en/publications/acthmsh-like-peptides-stimulate-3hdopamine-release-and-camp-produ>
4. Delmas A, Leone M, Rousseau S, Albanese J. Clinical review: Vasopressin and terlipressin in septic shock patients. *Crit Care*. 2005;9(2):212-222. DOI:10.1186/cc2945. <https://ccforum.com/content/9/2/212>

- Opothherapeutic cell extract: Pituitary Gland

References

1. Kyle D Kent, Joshua A Bomser. Bovine pituitary extract provides remarkable protection against oxidative stress in human prostate epithelial cells. *In Vitro Cell Dev Biol Anim*. 2003 Sep-Oct;39(8-9):388-94. DOI: 10.1290/1543-706X(2003)039<0388:BPEPRP>2.0.CO;2. Link: <https://pubmed.ncbi.nlm.nih.gov/14690452/>
2. Yoshida et al. Using bovine pituitary extract to increase proliferation of keratocytes in vitro. *PLoS One*. (año no especificado). Link: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3874512/>
3. Información técnica de Bovine Pituitary Extract (BPE) para cultivo celular — Cell Applications. Link: <https://www.cellapplications.com/bpe-bovine-pituitary-extract>

- Opothherapeutic cell extract: Hypothalamus

References

1. Brazeau P, Vale W, Burgus R, Ling N, Butcher M, Rivier J, Guillemin R. Hypothalamic polypeptide that inhibits the secretion of immunoreactive pituitary growth hormone. *Science*. 1973 Jan 5;179(4068):77-79. <https://doi.org/10.1126/science.179.4068.77>
2. Chang RC, Huang WY, Redding TW, Arimura A, Coy DH, Schally AV. Isolation and sequence analysis of a somatostatin-like polypeptide from porcine hypothalamus. *Biochim Biophys Acta*. 1980 Oct 21;625(2):266-273. [https://doi.org/10.1016/0005-2795\(80\)90290-1](https://doi.org/10.1016/0005-2795(80)90290-1)
3. Nakagawa Y, Matsui T, Konno R, Kawashima Y, Sato T, Itakura M, Koder Y. A highly efficient method for extracting peptides from a single mouse hypothalamus. *Biochem Biophys Res Commun*. 2021;548:155-160. <https://doi.org/10.1016/j.bbrc.2021.03.008>
4. Che FY, Zhang X, Berezniuk I, Callaway M, Lim J, Fricker LD. Optimization of neuropeptide extraction from the mouse hypothalamus. *J Proteome Res*. 2007 Dec;6(12):4667-4676. <https://doi.org/10.1021/pr060690r>
5. Mitchell JW, et al. Direct cellular peptidomics of hypothalamic neurons. *Front Neuroendocrinol*. 2011;32:377-386. <https://doi.org/10.1016/j.yfrne.2011.07.006>
6. Wang L, Wang N, Zhang W, et al. Therapeutic peptides: current applications and future directions. *Signal Transduct Target Ther*. 2022;7:48. <https://doi.org/10.1038/s41392-022-00904-4>

2022;7:48. <https://doi.org/10.1038/s41392-022-00904-4>

- Peptide Extracts: Brain

References

1. Povarnina P, Dubynin V, Gudasheva T, Seredenin S. Noopept stimulates the expression of NGF and BDNF in rat hippocampus. *Bull Exp Biol Med*. 2014 Jan;156(3):366-9. <https://pubmed.ncbi.nlm.nih.gov/24515987/>
2. Gudasheva TA et al. Peptide mimetics of brain-derived neurotrophic factor (BDNF): design, synthesis and activity in vitro and in vivo. *Front Pharmacol*. 2021 Jun;12:657789. <https://www.frontiersin.org/articles/10.3389/fphar.2021.657789/full>
3. Ashmarin I.P. et al. Short peptides as regulators of gene expression and tools for peptide therapy discovery. *Biochemistry (Mosc)*. 2016 May;81(5):452-463. <https://pubmed.ncbi.nlm.nih.gov/27383149/>
4. Gudasheva TA, Povarnina PY, Seredenin SB. Neuroprotective peptides as potential drugs for treatment of neurodegenerative disorders. *Neurosci Behav Physiol*. 2020 Dec;50(9):1053-1061. <https://pubmed.ncbi.nlm.nih.gov/33331861/>
5. Alexandrova IG et al. A novel neuroprotective peptide Semax modulates expression of genes involved in neurotrophin signaling and inflammation. *Front Pharmacol*. 2016 Sep;7:141. <https://www.frontiersin.org/articles/10.3389/fphar.2016.00141/full>

- Peptide Extracts: Pituitary Gland

References

1. Izdebski J, Chodynicky S, Janiszewska A. Isolation and characterization of peptides from bovine pituitary gland. *Int J Pept Protein Res*. 1979 May;13(5):494-500. <https://pubmed.ncbi.nlm.nih.gov/478108/>
2. Hökfelt T, Everitt BJ. The Hypothalamic-Pituitary System as a Source of Neuropeptides. In: *Handbook of Chemical Neuroanatomy*, Vol. 11. Elsevier; 1992. [https://doi.org/10.1016/S0924-8196\(08\)60108-4](https://doi.org/10.1016/S0924-8196(08)60108-4)
3. Du Vigneaud V, Ressler C, Trippett S. The sequence of amino acids in oxytocin, with a proposal for the structure of oxytocin. *J Biol Chem*. 1953 Dec;205(2):949-57. [https://www.jbc.org/article/S0021-9258\(18\)68549-5/fulltext](https://www.jbc.org/article/S0021-9258(18)68549-5/fulltext)
4. Lee AK, Tse FS, Fang VS, Wang C. Immunological detection of pituitary peptide hormones and their clinical applications. *Postgrad Med J*. 1980;56(662):775-784. <https://pmj.bmj.com/content/56/662/775>
5. Reichlin S. Neuroendocrine Peptides in the Anterior Pituitary. *Annu Rev Physiol*. 1989;51:117-129. <https://doi.org/10.1146/annurev.ph.51.030189.001001>

- Peptide Extracts: Hypothalamus

References

1. Che FY, Zhang X, Berezniuk I, Callaway M, Lim J, Fricker LD. Optimization of neuropeptide extraction from the mouse hypothalamus. *J Proteome Res*. 2007;6(12):4667-4676. <https://doi.org/10.1021/pr060690r>
2. Nakagawa Y, Matsui T, Konno R, Kawashima Y, Sato T, Itakura M, Koder Y. A highly efficient method for extracting peptides from a single mouse hypothalamus. *Biochem Biophys Res Commun*. 2021;548:155-160. <https://doi.org/10.1016/j.bbrc.2021.03.008>



3. Wang L, Wang N, Zhang W, et al. Therapeutic peptides: current applications and future directions. *Signal Transduct Target Ther*. 2022;7:48. <https://doi.org/10.1038/s41392-022-00904-4>
4. Mitchell JW, et al. Direct cellular peptidomics of hypothalamic neurons. *Front Neuroendocrinol*. 2011;32(4):377–386. <https://doi.org/10.1016/j.yfrne.2011.07.006>
5. Does RM. An overview of the basic neuroendocrine circuitry regulating the stress response in teleost fish and mammals. *Gen Comp Endocrinol*. 2009;161(1):3–13. <https://doi.org/10.1016/j.ygcen.2008.11.014>

- Other Actives: Superoxide Dismutase

References

1. Zelko I.N., Mariani T.J., Folz R.J. Superoxide dismutase multigene family: a comparison of the CuZn-SOD (SOD1), Mn-SOD (SOD2), and EC-SOD (SOD3) gene structures, evolution, and expression. *Free Radic Biol Med*. 2002 Dec 15;33(3):337–49. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/12454344/>
2. Senthilkumar K., Shyamala Devi C.S. Dietary Supplementation with a Superoxide Dismutase–Melon Concentrate Reduces Psychological Stress in Humans. *J Nutr Health Aging*. 2014;18(3):259–264. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4073155/>
3. Bérubé N.G., et al. Superoxide dismutase administration: A review of proposed therapeutic applications. *Oxid Med Cell Longev*. 2021;2021:6619154. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8037464/>
4. Franco R., Cidlowski J.A. Superoxide dismutases: Dual roles in controlling ROS damage and regulating ROS signaling. *J Cell Biol*. 2018 Jun 4;217(6):1915–1928. Disponible en: <https://rupress.org/jcb/article/217/6/1915/39308>
5. Buonocore C.M., et al. Effects of 6-Week Supplementation with GliSODin® on Parameters of Oxidative Stress and Physical Performance. *Biol*. 2022 Oct;11(10):1437. Disponible en: <https://www.mdpi.com/2079-7737/11/10/1437>
6. Fridovich I., McCord J.M. An enzyme-based theory of obligate anaerobiosis: the physiological function of superoxide dismutase. *Proc Natl Acad Sci U S A*. 1971 Mar;68(5):1024–7. Disponible en: <https://www.pnas.org/doi/10.1073/pnas.68.5.1024>

- Other Actives: Glutathione Peroxidase

References

1. Brigelius-Flohé R, Maiorino M. Glutathione Peroxidase-1 in Health and Disease: From Molecular Mechanisms to Therapeutic Opportunities. *Antioxid Redox Signal*. 2011;15(7):1957–1997. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3159114/>
2. Sedighi Zargari O, Varshi G, et al. Effect of Selenium Supplementation on Glutathione Peroxidase Enzyme Activity in Patients With Chronic Kidney Disease: A Randomized Clinical Trial. *Nephro Urol Mon*. 2014 Mar;6(3):e17945. Disponible en: <https://pmc.ncbi.nlm.nih.gov/articles/PMC4090673/>
3. The role of glutathione peroxidase-1 in health and disease (revisión). *PubMed*. 2022. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/35691509/>
4. Sedighi O, Zargari M, Varshi G. Selenium supplementation on plasma glutathione peroxidase activity in patients with end-stage chronic renal failure. *Biol Trace Elem Res*. 2004 Jan;97(1):15–30. Disponible a través de SciSpace:

- <https://pdfs.semanticscholar.org/0be3/83c49d705221d0683f68ada8079eb65d3c9f.pdf>
5. Wikipedia. Glutathione peroxidase. Última modificación: hace 2 semanas. Disponible en: https://en.wikipedia.org/wiki/Glutathione_peroxidase
6. Tian R, Geng Y, Yang Y, Seim I, Yang G. Oxidative stress drives divergent evolution of the glutathione peroxidase (GPX) gene family in mammals. *Integr Zool*. 2021;16(5):696–711. DOI: <https://doi.org/10.1111/1749-4877.12521>

- Other Actives: Glutathione Reductase

References

1. Couto N, Wood J, Barber J. The role of glutathione reductase and related enzymes on cellular redox homeostasis. *Free Radical Biology & Medicine*. 2016 Jun;95:27–42. PMID: 26923386. <https://pubmed.ncbi.nlm.nih.gov/26923386/>
2. Narciso C, et al. Glutathione-Related Enzymes and Proteins: A Review. Published ~2.4 years ago. <https://pubmed.ncbi.nlm.nih.gov/PMC9919958/>
3. ScienceDirect Topics. Glutathione Reductase – overview. <https://www.sciencedirect.com/topics/biochemistry-genetics-and-molecular-biology/glutathione-reductase>
4. ScienceDirect Neuroscience. Glutathione Reductase is crucial in detoxifying peroxides. <https://www.sciencedirect.com/topics/neuroscience/glutathione-reductase>
5. Journal of Post-Coronary Research. Glutathione level and glutathione reductase activity in serum of coronary heart disease patients. <https://www.jpccr.eu/Glutathione-level-and-glutathione-reductase-activity-in-serum-of-coronary-heart-disease%2C81277%2C0%2C2.html>
6. PLOS ONE. Lüersen K, et al. The Glutathione Reductase GSR-1 Determines Stress Tolerance and Longevity in *Caenorhabditis elegans*. *PLoS ONE* 8(4): e60731. Apr 8, 2013. <https://doi.org/10.1371/journal.pone.0060731>
7. MDPI Medicina. Glutathione Reductase Is Associated with the Clinical Outcome of Septic Shock Patients Under Early-Initiated CVVH Treatment. <https://doi.org/10.3390/medicina57070689>
8. Wiley J Med Virol. Profiling serum levels of glutathione reductase and IL-10 in COVID-19 patients. <https://doi.org/10.1002/jmv.27464>

- Other Actives: Glutathione Transferase

References

1. Salinas AE, Wong MG. Glutathione S-transferases—a review. *Curr Med Chem*. 1999 Apr;6(4):279–309. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/10101214/>
2. Sheehan D, Meade G, Foley VM, Dowd CA. Structure, function and evolution of glutathione transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily. *Biochem J*. 2001 Nov 15;360(Pt 1):1–16. Disponible en: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1222196/>
3. Allocati N, Masulli M, Di Ilio C, Federici L. Glutathione transferases: substrates, inhibitors and pro-drugs in cancer and neurodegenerative diseases. *Oncogenesis*. 2018 Apr;7:8. Disponible en: <https://www.nature.com/articles/s41389-017-0025-3>
4. Vázquez-Martínez O et al. Glutathione S-transferase: A versatile and dynamic enzyme. *Biochem Biophys Res Commun*. 2024. Disponible en: <https://pubmed.ncbi.nlm.nih.gov/39366175/>



5. Mondal S, et al. The Multifaceted Role of Glutathione S-Transferases in Health and Disease. Biomolecules. 2022 Apr;13(4):688. Disponible en:
<https://www.mdpi.com/2218-273X/13/4/688>
6. Wikipedia. Glutathione S-transferase. Actualizado hace 2 semanas. Disponible en:
https://en.wikipedia.org/wiki/Glutathione_S-transferase

- Other Actives: Adenosine Triphosphate (ATP)

References

1. ATP Synthase – an overview | ScienceDirect Topics.
<https://www.sciencedirect.com/topics/neuroscience/atp-synthase>
2. ATP synthase | enzyme – Britannica.
<https://www.britannica.com/science/ATP-synthase>
3. Physiology, Adenosine Triphosphate – StatPearls (NCBI Bookshelf). <https://www.ncbi.nlm.nih.gov/books/NBK553175/>
4. ATP synthesis and storage – PMC – PubMed Central.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3360099/>
5. F1·F₀ ATP Synthase/ATPase: Contemporary View on Unidirectional Catalysis – PubMed.
<https://pubmed.ncbi.nlm.nih.gov/36982498/>
6. ATP synthase: Structure, Function and Inhibition – De Gruyter Brill.
<https://www.degruyterbrill.com/document/doi/10.1515/bmc-2019-0001/html>
7. Structure of ATP synthase under strain during catalysis – Nature.
<https://www.nature.com/articles/s41467-022-29893-2>
8. An overview of ATP synthase, inhibitors, and their toxicity – ScienceDirect.
<https://www.sciencedirect.com/science/article/pii/S2405844023096676>
9. ATP Synthase and the Actions of Inhibitors Utilized To Study Its Roles – ASM Journals.
<https://journals.asm.org/doi/10.1128/membr.00016-08>
11. Chemiosmosis – Wikipedia.
<https://en.wikipedia.org/wiki/Chemiosmosis>
12. Adenosine triphosphate – Wikipedia.
https://en.wikipedia.org/wiki/Adenosine_triphosphate



Result Observational Studies

Cellorgane® 7 - Neuro Central Therapy

Results of observational studies for the indication of the treatment of the following medical parameters.

Preventive therapeutic action in patients with some genetic predisposition.

The therapeutic action as a primary treatment in patients with degenerative diseases that for several years were treated with conventional medicine and the expected results are not observed.

The therapeutic action as an adjuvant or reinforcement in the chaos of various pathologies combined with

Adjuvant Treatment

Physicians surveyed report that Cellorgane is instrumental in aiding the treatment and cure of disease.

Physical-mental energy levels

Almost all of the patients treated noticeably increased their physical and mental energy levels

Medical expertise

Medical professionals feel confident and supported when using a CELLORGANE treatment.

Cognitive and memory abilities

The vast majority of patients report an increase in their cognitive and memory abilities after treatment.

Sleep patterns

Cellorgane 7 helps to substantially improve sleep patterns after prolonged treatment.

Anxiety and depression

Patients with episodes of anxiety and/or depression report improvement after treatment.

