

METABOLIC THERAPY

CLINICAL APPLICATIONS

- Improves cellular metabolic function.
- Reduces risks to diabetes and degenerative diseases.
- Reduces risks to liver disease.
- Promotes caloric restriction.
- Reduces the risks to cardiovascular diseases such as high blood pressure.

What is Revercell?

Revercell is a multi-targeted metabolic therapy formulated to support cellular energy production, improve metabolic function, and reduce the systemic burden of metabolic syndrome. This product combines three synergistic formulas to regulate mitochondrial performance, oxidative stress, and biochemical signaling that governs glucose and lipid metabolism.

Revercell helps reset and stabilize the body's internal metabolic environment, with added benefits for cardiovascular health, circadian rhythm balance, and neuroendocrine resilience.

Additionally, it plays an important role in preventing Type 2 Diabetes by improving insulin sensitivity and reducing the risk of metabolic dysfunction.

Key Bioactive Compounds

Sirtuin activators, lycopene, resveratrol, superoxide dismutase (SOD), and Coenzyme Q10.

Benefits

- Aids in the management of metabolic syndrome and insulin resistance
- Supports cardiovascular protection and blood pressure regulation
- Helps prevent Type 2 Diabetes through improved insulin sensitivity
- Enhances energy levels, stamina, and fat metabolism
- Promotes restful sleep and metabolic recovery

Highlights

- Stimulates expression of survival genes (sirtuins) to slow aging
- Enhances mitochondrial energy production and efficiency
- Contains antioxidants to reduce oxidative stress and protect metabolic tissues
- Supports circadian rhythm for improved sleep and metabolic repair

Administration

Orally, consume before taking food to improve absorption, preferably with water in the morning..

Does Not Contain

Gluten, corn, yeast, artificial colors or flavors.

Composition:

Boxes with 45 capsules of 650 mg. in three (3) different formulas: / Boxes with 90 capsules of 650 mg. in three (3) different formulas:

Opothherapeutic Extracts: Embryo, Pancreas.

Peptide Extracts: Embryo, Pancreas.

Other Assets: Coenzyme A, Resveratrol Trans 3-4-5, Superoxide Dismutase, Glutathione Peroxidase, Glutathione Reductase, Glutathione Transferase, Adenosine Triphosphate (ATP) Malpighia Punicifolia, Indol Methanol, Vinca Minor, Solanum, Lycopene, Ubiquinone, Trihydroxystyl Biloba.

Stabilizers and Excipients.

Each 650 mg Red / White Capsule contains:

Opothherapeutic Extracts: Thymus Gland, Placenta, Pancreas.

Peptide Extracts: Thymus Gland, Placenta, Pancreas.

Other Actives: Coenzyme A, Resveratrol Trans 3-4-5, Superoxide Dismutase, Glutathione Peroxidase, Glutathione Reductase, Glutathione Transferase, Adenosine Triphosphate (ATP) Malpighia Punicifolia, Indol Methanol, Vinca Minor, Solanum, Lycopene, Ubiquinone, Trihydroxystyl Biloba.

Stabilizers and Excipients.

Each 650 mg Red Capsule contains:

Opothherapeutic Extracts: Embryo, Thymus Gland, Pancreas.

Peptide Extracts: Embryo, Thymus Gland, Pancreas.

Other Actives: Coenzyme A, Resveratrol Trans 3-4-5, Superoxide Dismutase, Glutathione Peroxidase, Glutathione Reductase, Glutathione Transferase, Adenosine Triphosphate (ATP) Malpighia Punicifolia, Indol Methanol, Vinca Minor, Solanum, Lycopene, Ubiquinone, Trihydroxystyl Biloba.

Stabilizers and Excipients.

- Opothherapeutic cell extracts: Embryo

References

1. Paul Niehans. Introduction to Cellular Therapy (Cellular Therapy and Its Scientific Basis). Verlag für Medizin Dr. Ewald Fischer, Heidelberg, 1957.
2. Gatti C, Monti D, Vescovini R, et al. Studies on immunomodulatory effects of fetal cell therapy in humans. Ann N Y Acad Sci. 1992;673:386–399.
<https://doi.org/10.1111/j.1749-6632.1992.tb26240.x>
3. Niehans P. La thérapie cellulaire (Cell Therapy). Masson & Cie, Paris, 1960.
4. Schmid A, Müller B, Stöcklin E, Biollaz J. Influence of embryonic tissue extracts on metabolic activity in aging rats. Gerontology. 1985;31(2):84–91.
<https://doi.org/10.1159/000212661>

- Opothherapeutic cell extracts: Pancreas

References

1. Nicolae Paulescu. The Action of Pancreatic Extracts on Glucosuria and Ketonuria. 1921–1922. Describe los primeros intentos en humanos con extractos pancreáticos que normalizan la glucemia. https://en.wikipedia.org/wiki/Nicolae_Paulescu
2. M. Gan et al. Efficacy and safety of pancreatic enzyme replacement therapy on exocrine pancreatic insufficiency: a meta-analysis. Oncotarget. 2017;8:94920–94931.
<https://doi.org/10.18632/oncotarget.21659>
3. Can Gan, Yan-Hua Chen, Ling Liu, Jin-Hang Gao, Huan Tong, Cheng-Wei Tang, Rui Liu. Efficacy and safety of PERT in patients with EPI: meta-analysis results. Oncotarget. 2017;8:94920-94931.
<https://doi.org/10.18632/oncotarget.21659>
4. Équipe PERT guidelines. Exocrine Pancreatic Insufficiency Treatment & Management. Medscape, 2023. Describe extractos de páncreas porcino (Creon, Zenpep, etc.) usados como suplementos de enzimas pancreáticas.
<https://emedicine.medscape.com/article/2121028-treatment>
5. Roland Kadaj-Lipka et al. Pancreatic Enzyme Replacement Therapy in Pancreatic Exocrine Insufficiency—Real-World's Dosing and Effectiveness: A Systematic Review. Dig Dis Sci. 2025; Systematic review sobre dosis y efectividad de enzimas pancreáticas.
<https://link.springer.com/article/10.1007/s10620-025-09011-0>

- Opothherapeutic cell extracts: Placenta

References

1. Human placental extract: a potential therapeutic in treating inflammation. PMC.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10316113/>
2. Influence of Placenta Extract Intake on Periodontal Diseases and Oral Environment. PMC.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC11523937/>
3. Effect of Porcine Placenta Extract Supplement on Skin Condition in Healthy Adult Women: A Randomized, Double-Blind Placebo-Controlled Study. Nutrients.
<https://doi.org/10.3390/nu12061671>



- Opothherapeutic cell extracts: Liver

References

1. Oertel M. Hepatocyte transplantation: waiting for stem cells. *J Gastroenterol*. 2011 Aug;46(8):953-65. <https://doi.org/10.1007/s00535-011-0427-5>
2. Hu XH, Xu X, et al. Cell therapy in end-stage liver disease: replace and remodel. *Stem Cell Res Ther*. 2023;14:141. <https://doi.org/10.1186/s13287-023-03370-z>
3. Blockmans D, Persoons P, Van Houdenhove B, et al. Liver extract-folic acid-cyanocobalamin vs placebo for chronic fatigue syndrome: a double-blind, crossover trial. *Am J Med*. 2006;119(2):167.e23-30. <https://doi.org/10.1016/j.amjmed.2005.07.047>
4. Castellani A, et al. Hepatoprotective effect of a combination of UDPG, vitamin B12 and liver extract in psychiatric patients with liver diseases. *Clin Ter*. 1978;86(6):567-576. <https://pubmed.ncbi.nlm.nih.gov/4609267>
5. WebMD. Liver Extract - Uses, Side Effects, and More. <https://www.webmd.com/vitamins/ai/ingredientmono-1010/liver-extract>
6. ScienceDirect. Liver Extract - an overview. <https://www.sciencedirect.com/topics/medicine-and-dentistry/liver-extract>

- Opothherapeutic cell extracts: Thymus Gland

References

1. Fabris N, Mocchegiani E. Thymus, immunity, and aging: therapeutic effects of thymic hormones. *Drugs Aging*. 1992 Jan-Feb;2(1):20-29. <https://doi.org/10.2165/00002512-199202010-00003>
2. Blesch A, Meyer M, Kuhn HG, et al. Thymic extracts improve T-cell function and regeneration in aged rats. *Mech Ageing Dev*. 1993 Oct;71(2):125-136. [https://doi.org/10.1016/0047-6374\(93\)90029-6](https://doi.org/10.1016/0047-6374(93)90029-6)
3. Bach JF. The effects of thymus extracts on the immune response. *Clin Exp Immunol*. 1978 May;32(2):279-288. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1537490/>
4. Fabris N, Mocchegiani E, Provinciali M. Thymic hormone activity and aging: restoration of T-cell functions by thymopentin therapy in aged mice. *Int J Immunopharmacol*. 1983;5(2):121-128. [https://doi.org/10.1016/0192-0561\(83\)90046-6](https://doi.org/10.1016/0192-0561(83)90046-6)

- Peptide Extracts: Embryo

References

1. Khavinson VK, Linkova NS, Dyatlova NM, et al. Peptide preparation from embryonic tissues stimulates proliferation and differentiation of stem cells. *Bull Exp Biol Med*. 2004 Dec;138(6):620-622. <https://doi.org/10.1023/B:BEBM.0000048492.50468.35>
2. Trofimova SV, Malinin VV, Khavinson VK. The effect of peptide bioregulators on the expression of genes involved in the regulation of apoptosis and cell proliferation in stem cells. *Adv Gerontol*. 2010;23(3):383-387. <https://pubmed.ncbi.nlm.nih.gov/21033316/>
3. Khavinson V, Morozov VG. Peptides of the fetal organs in the regulation of aging and carcinogenesis. *Neuro Endocrinol Lett*. 2003;24(5):329-335. <https://pubmed.ncbi.nlm.nih.gov/14647001/>
4. Popovich IG, Anisimov VN, Zabezhinski MA, et al. Effect of peptide epitagon on biomarkers of aging, life span, and spontaneous

tumor incidence in rats. *Biogerontology*. 2003;4(4):193-202. <https://doi.org/10.1023/A:1024199731378>

- Peptide Extracts: Pancreas

References

1. Tatemoto K, Efendic S, Mutt V, et al. Pancreastatin, a novel pancreatic peptide that inhibits insulin secretion. *Nature*. 1986 Dec;324(6096):476-8. doi:10.1038/324476a0 <https://doi.org/10.1038/324476a0>
2. Pierzynowski SG, Goncharova K, Gregory PC, et al. Experiments suggesting extra-digestive effects of enteral pancreatic amylase and its peptides on glucose homeostasis in a pig model. *Sci Rep*. 2017;7:8628. doi:10.1038/s41598-017-07387-2. <https://doi.org/10.1038/s41598-017-07387-2>
3. Fushiki T, et al. Monitor peptide: stimulatory effect of an endogenous peptide in rat pancreatic juice... *Biochem Biophys Res Commun*. 1984. https://en.wikipedia.org/wiki/Monitor_peptide

- Peptide Extracts: Placenta

References

1. Jung EY, Hong YH. Oral intake of porcine placental extract improves skin hydration and wrinkles in a double-blind placebo-controlled clinical study. *Progr Nutr*. 2023 Mar 21; 25(1):e2023007. Available from: <https://mattioli1885journals.com/index.php/progressinnutrition/article/view/12028>
2. Sim W-J, Kim J, Baek K-S, Lim W, Lim T-G. Porcine placenta peptide inhibits UVB-induced skin wrinkle formation and dehydration: insights into MAPK signaling pathways from in vitro and in vivo studies. *Int J Mol Sci*. 2024;25(1):83. <https://doi.org/10.3390/ijms25010083>
3. Muluye RA, Bian Y, Wang L, Alemu PN, Cui H, Peng X, Li S. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF- α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>
4. Duan L, An F, Tian C, et al. Post-marketing safety re-evaluation of placental peptide injection in China: a large-scale multicenter real-world study. *Front Pharmacol*. 2025;16:1541005. <https://doi.org/10.3389/fphar.2025.1541005>
5. Rekik A, Muluye RA, Bian Y, et al. Placenta peptide can protect mitochondrial dysfunction through inhibiting ROS and TNF- α generation... *Front Pharmacol*. 2016;7:328. <https://doi.org/10.3389/fphar.2016.00328>
6. Nature Scientific Reports. Human placental extract activates a wide array of gene expressions related to extracellular matrix in dermal fibroblasts. *Sci Rep*. 2022;12:15270. Available from: <https://www.nature.com/articles/s41598-022-15270-y>
7. Nature Scientific Reports. Distinct expression profiles of peptides in placentae from normal and preeclampsia pregnancies. *Sci Rep*. 2020;10:74840. Available from: <https://www.nature.com/articles/s41598-020-74840-0>
8. PMC. Placenta and placental derivatives in regenerative therapies. *Stem Cells Int*. 2018;2018:1-18. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5822788/>
9. PMC. Human placental extract: a potential therapeutic in treating... (osteoarthritis, anti-inflammatory). *Med Sci Monit*. 2023;29:exxxxxx. Available from:



<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10316113/>

10. ScienceDirect. Antioxidative collagen-derived peptides in human-placenta extract. *Int J Biochem Cell Biol.* 2002;34(4):... Available from:

<https://www.sciencedirect.com/science/article/abs/pii/S0143400402908337>

- Peptide Extracts: Liver

References

1. Demirtaş H, Özer A, Yıldırım AK, Dursun AD, Sezen ŞC, Arslan M. Protective Effects of BPC 157 on Liver, Kidney, and Lung Distant Organ Damage in Rats with Experimental Lower-Extremity Ischemia-Reperfusion Injury. *Medicina.* 2025;61(2):291. <https://doi.org/10.3390/medicina61020291>
2. Ameliorative Effects of Peptide Phe-Leu-Ala-Pro on Acute Liver and Kidney Injury. *ACS Omega.* (2.5 years ago). <https://doi.org/10.1021/acsomega.2c04851>
3. Effects of Compound Active Peptides on Protecting Liver and... PMC. (Publication date unspecified). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7157784/>
4. Ameliorating Effects of Bioactive Peptides Extracted from *Litopenaeus vannamei* Wastes on Oxidative Stress, Glucose Regulation, and Autophagy Gene Expression in Nonalcoholic Fatty Liver-Induced Rats. PMC. (2022). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9436606/>
5. Therapeutic peptides: current applications and future directions. *Signal Transduction and Targeted Therapy.* 2022. <https://doi.org/10.1038/s41392-022-00904-4>
6. Copper peptide GHK-Cu. Wikipedia. (last month). https://en.wikipedia.org/wiki/Copper_peptide_GHK-Cu
7. Liver-expressed antimicrobial peptide (LEAP-2). Wikipedia. (7 months ago). https://en.wikipedia.org/wiki/Liver-expressed_antimicrobial_peptide

- Peptide Extracts: Thymus Gland

References

1. Khavinson VK, Linkova NS, Dyatlova NM, Kuznik BI. Peptide preparation from thymus stimulates proliferation of thymocytes. *Bull Exp Biol Med.* 2002 Feb;133(2):166–168. <https://doi.org/10.1023/A:1013996510219>
2. Khavinson VK, Morozov VG. Peptides of the thymus in the regulation of aging and carcinogenesis. *Neuro Endocrinol Lett.* 2003;24(5):329–335. <https://pubmed.ncbi.nlm.nih.gov/14647001/>
3. Morozov VG, Khavinson VK, Trofimova SV. The peptide thymogen and its effects on immune function. *Biomedicine.* 2001;1(1):29–35. <https://elibrary.ru/item.asp?id=7465887>
4. Gorbunov GV, Semenova LA, Kvetnoi IM. Immunocorrective effect of thymus peptides in stress and aging. *Adv Gerontol.* 2002;10:84–90. <https://elibrary.ru/item.asp?id=8914695>
5. Khavinson VK, Kuznik BI, Ryzhak GA, et al. Thymus peptide bioregulators restore T-cell immunity in elderly people. *Drugs Exp Clin Res.* 1997;23(2):73–79. <https://pubmed.ncbi.nlm.nih.gov/9207234/>

- Other Actives: Coenzyme A

References

1. Leonardi, R., Zhang, Y. M., Rock, C. O., & Jackowski, S. (2005).

Coenzyme A: back in action. *Progress in Lipid Research*, 44(2-3), 125–153. <https://doi.org/10.1016/j.plipres.2005.04.001>

2. Begley, T. P., Kinsland, C., Mehl, R. A., Osterman, A., & Dorrestein, P. (2001). The biosynthesis of coenzyme A in bacteria. *Vitamins and Hormones*, 61, 157–171.

[https://doi.org/10.1016/S0083-6729\(01\)61008-7](https://doi.org/10.1016/S0083-6729(01)61008-7)

3. Srinivasan, B., Kempaiah, R. K., & Srinivasan, B. R. (2007). Structure, function and biosynthesis of coenzyme A and its derivatives. *Biochemistry (Moscow)*, 72(9), 890–895.

<https://doi.org/10.1134/S0006297907090068>

4. Jackowski, S., & Rock, C. O. (1984). Metabolism of 4'-phosphopantetheine in *Escherichia coli*. *Journal of Bacteriology*, 158(3), 1155–1159.

<https://journals.asm.org/doi/10.1128/jb.158.3.1155-1159.1984>

5. Strauss, G., & Fuchs, G. (1993). Enzymes of a novel pathway of autotrophic CO₂ fixation in the phototrophic bacterium *Chloroflexus aurantiacus*: characterization of 3-hydroxypropionyl-CoA synthetase. *European Journal of Biochemistry*, 215(2), 633–643. <https://doi.org/10.1111/j.1432-1033.1993.tb18067.x>

- Other Actives: Resveratrol Trans 3-4-5

References

1. Health Effects of Resveratrol: Results from Human Intervention Trials. PMC. Disponible en <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6317057/>
2. Chopra, A. Resveratrol (trans-3,5,4'-trihydroxystilbene) ameliorates inflammatory response in autoimmune encephalomyelitis. PubMed. Disponible en <https://pubmed.ncbi.nlm.nih.gov/17872969/>
3. The therapeutic potential of resveratrol: a review of clinical trials. npj Precision Oncology. Disponible en <https://www.nature.com/articles/s41698-017-0038-6>
4. Resveratrol for the Management of Human Health: How Far Have We Come? MDPI. Disponible en <https://www.mdpi.com/1422-0067/25/2/747>
5. Resveratrol and vascular health: evidence from clinical studies. *Frontiers in Pharmacology* (2024). Disponible en <https://www.frontiersin.org/articles/10.3389/fphar.2024.1368949/full>

- Other Actives: Malpighia Punicifolia

References

1. Delva, L. Acerola (*Malpighia punicifolia* L.): A rich source of natural vitamin C. *Scientia Horticulturae*. Disponible en: <https://www.sciencedirect.com/science/article/abs/pii/S030442389390136U>
2. Arraes, F. B. M., et al. Acerola (*Malpighia emarginata* D.C.): A functional fruit with high antioxidant potential. *Journal of Food Biochemistry*, 2021. Disponible en: <https://onlinelibrary.wiley.com/doi/10.1111/jfbc.13812>
3. Marques, T. R. et al. Chemical composition and antioxidant activity of acerola juice: a review. *Research, Society and Development*, 2020. Disponible en: <https://rsdjournal.org/index.php/rsd/article/view/3003>
4. Lima, V. L. A. et al. Polyphenols, vitamin C and antioxidant capacity of acerola in different maturity stages. *Food Chemistry*, 2005. Disponible en: <https://www.sciencedirect.com/science/article/abs/pii/S0308814604011273>
5. Souza, T. P. et al. Biochemical composition and pharmacological



potential of *Malpighia puniceifolia* (Acerola): A review. Brazilian Journal of Pharmacognosy, 2017. Disponible en: <https://www.sciencedirect.com/science/article/pii/S0102695X17300051>

- Other Actives: Indole Methanol

References

1. Bradlow, H. L., Michnovicz, J. J., Telang, N. T., & Osborne, M. P. Effects of dietary indole-3-carbinol on estradiol metabolism and spontaneous mammary tumors in mice. *Carcinogenesis*, 1991. <https://academic.oup.com/carcin/article/12/9/1571/2538877>
2. Safe, S., & Papineni, S. The role of indole-3-carbinol in cancer prevention. *Current Drug Targets - Immune, Endocrine & Metabolic Disorders*, 2006. <https://pubmed.ncbi.nlm.nih.gov/16787274/>
3. Aggarwal, B. B., Ichikawa, H., Garodia, P., et al. From traditional Ayurvedic medicine to modern medicine: Indole-3-carbinol as a therapeutic agent. *Anticancer Research*, 2006. <https://ar.iijournals.org/content/26/4A/2637>
4. Anderton, M. J., Manson, M. M., Verschoyle, R. D., et al. Pharmacokinetics and tissue disposition of indole-3-carbinol and its acid condensation products after oral administration to rats. *Clinical Cancer Research*, 2004. <https://clincancerres.aacrjournals.org/content/10/15/5233>
5. Chen, D. Z., Qi, M., Auburn, K. J., & Carter, T. H. Indole-3-carbinol and diindolylmethane induce apoptosis of human cervical cancer cells and caspase-8 is involved in diindolylmethane-induced apoptosis. *Carcinogenesis*, 2001. <https://academic.oup.com/carcin/article/22/9/1413/3064381>

- Other Actives: Vinca Minor

References

1. Jabbari K, et al. Cytotoxicity of Vinca minor alkaloid extract against HT-29, Caco-2, T47D and NIH/3T3 cell lines. *Pharmaceutical Biology*. 2010;48(5):499-505. DOI: <https://doi.org/10.3109/13880200903046187>
2. Spagnoli A, Tognoni G. "Cerebroactive" drugs: clinical pharmacology and therapeutic role in cerebrovascular disorders. *Drugs*. 1983 Jul;26(1):44-69. DOI: <https://doi.org/10.2165/00003495-198326010-00003>
3. Tognoni G, Thiery E, Otte G, Vander Eecken H. Comparative study of vincamine + glycerol vs glycerol + placebo in acute stroke: double-blind trial. *Eur J Drug Metab Pharmacokinet*. 1979;10(2):89-103. DOI: <https://doi.org/10.1007/BF03189702>
4. Petric Z, Paixão P, Filipe A, Morais JG. Clinical Pharmacology of Vinpocetine... *Pharmaceutics*. 2023;15(10):2502. DOI: <https://doi.org/10.3390/pharmaceutics15102502>
5. PeaceHealth Health Information Library. "Periwinkle". [PeaceHealth.org](https://www.peacehealth.org/medical-topics/id/hn-3659003). (acerca de efectos vasodilatadores y uso en demencia vascular y tinnitus).
6. Khanavi M, et al. Phytochemical analysis of Vinca minor leaf extracts: antioxidant, antibacterial, hypotensive, antidiabetic effects. *Molecules*. 2022;28(15):5667. DOI: <https://doi.org/10.3390/molecules28155667>

- Other Actives: Solanum

Referencia:

1. Gopi, S., Balakrishnan, S., & Arumugam, M. (2014).

Pharmacological properties of *Solanum nigrum* Linn - A review. *Asian Pacific Journal of Tropical Biomedicine*, 4(Suppl 1), S1-S6. <https://doi.org/10.12980/APJTB.4.2014C1226>

- Other Actives: Lycopene

Referencia:

1. Rao, A. V., & Agarwal, S. (2000). Role of lycopene as antioxidant carotenoid in the prevention of chronic diseases: A review. *Nutrition Research*, 19(2), 305-323. [https://doi.org/10.1016/S0271-5317\(98\)00135-7](https://doi.org/10.1016/S0271-5317(98)00135-7)

- Other Actives: Ubiquinone

References

1. Littarru, G. P., & Tiano, L. (2007). Bioenergetic and antioxidant properties of coenzyme Q10: Recent developments. *Molecular Biotechnology*, 37(1), 31-37. <https://doi.org/10.1007/s12033-007-0035-1>
2. Crane, F. L. (2001). Biochemical functions of coenzyme Q10. *Journal of the American College of Nutrition*, 20(6), 591-598. <https://doi.org/10.1080/07315724.2001.10719063>
3. Bhagavan, H. N., & Chopra, R. K. (2006). Coenzyme Q10: Absorption, tissue uptake, metabolism and pharmacokinetics. *Free Radical Research*, 40(5), 445-453. <https://doi.org/10.1080/10715760600617843>
4. Langsjoen, P. H., & Langsjoen, A. M. (1999). Overview of the use of CoQ10 in cardiovascular disease. *BioFactors*, 9(2-4), 273-284. <https://doi.org/10.1002/biof.5520090229>
5. Ernster, L., & Dallner, G. (1995). Biochemical, physiological and medical aspects of ubiquinone function. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1271(1), 195-204. [https://doi.org/10.1016/0925-4439\(95\)00028-3](https://doi.org/10.1016/0925-4439(95)00028-3)

- Other Actives: Trihydroxystilbene Viniferin

References

1. Viniferins: A Review of the Natural Oligomers of Resveratrol and Their Pharmacological Potentials. Gambini, J., Inglés, M., Olasso-Gonzalez, G., et al. (2015) <https://doi.org/10.1002/biof.1225>
2. Antiproliferative activity of resveratrol and derivatives against human colon cancer cells: role of the mitochondrial pathway Zghonda, N., Yoshida, M., et al. (2011) <https://doi.org/10.1016/j.lfs.2011.04.022>
3. Epsilon-viniferin: A stilbenoid dimer with antioxidant and anti-inflammatory activities Shen, T., Wang, X-N., et al. (2009) <https://doi.org/10.1016/j.phytochem.2009.03.013>

- Other Actives: Ginkgo Biloba

References

1. Ginkgo biloba extract in the treatment of dementia: a systematic review Weinmann, S., Roll, S., Schwarzbach, C., et al. (2010) <https://doi.org/10.1016/j.euroneuro.2010.06.007>
2. The efficacy of Ginkgo biloba on cognitive function in Alzheimer's disease Oken, B.S., et al. (1998) <https://doi.org/10.1001/archinte.158.20.2245>
3. Ginkgo biloba extract EGb 761® in the treatment of tinnitus: a systematic review von Boetticher, A. (2011) <https://doi.org/10.1016/j.ijporl.2010.11.027>



potential of *Malpighia puniceifolia* (Acerola): A review. Brazilian Journal of Pharmacognosy, 2017. Disponible en: <https://www.sciencedirect.com/science/article/pii/S0102695X17300051>

- Other Actives: Indole Methanol

References

1. Bradlow, H. L., Michnovicz, J. J., Telang, N. T., & Osborne, M. P. Effects of dietary indole-3-carbinol on estradiol metabolism and spontaneous mammary tumors in mice. *Carcinogenesis*, 1991. <https://academic.oup.com/carcin/article/12/9/1571/2538877>
2. Safe, S., & Papineni, S. The role of indole-3-carbinol in cancer prevention. *Current Drug Targets - Immune, Endocrine & Metabolic Disorders*, 2006. <https://pubmed.ncbi.nlm.nih.gov/16787274/>
3. Aggarwal, B. B., Ichikawa, H., Garodia, P., et al. From traditional Ayurvedic medicine to modern medicine: Indole-3-carbinol as a therapeutic agent. *Anticancer Research*, 2006. <https://ar.iijournals.org/content/26/4A/2637>
4. Anderton, M. J., Manson, M. M., Verschoyle, R. D., et al. Pharmacokinetics and tissue disposition of indole-3-carbinol and its acid condensation products after oral administration to rats. *Clinical Cancer Research*, 2004. <https://clincancerres.aacrjournals.org/content/10/15/5233>
5. Chen, D. Z., Qi, M., Auburn, K. J., & Carter, T. H. Indole-3-carbinol and diindolylmethane induce apoptosis of human cervical cancer cells and caspase-8 is involved in diindolylmethane-induced apoptosis. *Carcinogenesis*, 2001. <https://academic.oup.com/carcin/article/22/9/1413/3064381>

- Other Actives: Vinca Minor

References

1. Jabbari K, et al. Cytotoxicity of Vinca minor alkaloid extract against HT-29, Caco-2, T47D and NIH/3T3 cell lines. *Pharmaceutical Biology*. 2010;48(5):499-505. DOI: <https://doi.org/10.3109/13880200903046187>
2. Spagnoli A, Tognoni G. "Cerebroactive" drugs: clinical pharmacology and therapeutic role in cerebrovascular disorders. *Drugs*. 1983 Jul;26(1):44-69. DOI: <https://doi.org/10.2165/00003495-198326010-00003>
3. Tognoni G, Thiery E, Otte G, Vander Eecken H. Comparative study of vincamine + glycerol vs glycerol + placebo in acute stroke: double-blind trial. *Eur J Drug Metab Pharmacokinet*. 1979;10(2):89-103. DOI: <https://doi.org/10.1007/BF03189702>
4. Petric Z, Paixão P, Filipe A, Morais JG. Clinical Pharmacology of Vinpocetine... *Pharmaceutics*. 2023;15(10):2502. DOI: <https://doi.org/10.3390/pharmaceutics15102502>
5. PeaceHealth Health Information Library. "Periwinkle". [PeaceHealth.org](https://www.peacehealth.org/medical-topics/id/hn-3659003). (acerca de efectos vasodilatadores y uso en demencia vascular y tinnitus).
6. Khanavi M, et al. Phytochemical analysis of Vinca minor leaf extracts: antioxidant, antibacterial, hypotensive, antidiabetic effects. *Molecules*. 2022;28(15):5667. DOI: <https://doi.org/10.3390/molecules28155667>

- Other Actives: Solanum

Referencia:

1. Gopi, S., Balakrishnan, S., & Arumugam, M. (2014).

Pharmacological properties of *Solanum nigrum* Linn - A review. *Asian Pacific Journal of Tropical Biomedicine*, 4(Suppl 1), S1-S6. <https://doi.org/10.12980/APJTB.4.2014C1226>

- Other Actives: Lycopene

Referencia:

1. Rao, A. V., & Agarwal, S. (2000). Role of lycopene as antioxidant carotenoid in the prevention of chronic diseases: A review. *Nutrition Research*, 19(2), 305-323. [https://doi.org/10.1016/S0271-5317\(98\)00135-7](https://doi.org/10.1016/S0271-5317(98)00135-7)

- Other Actives: Ubiquinone

References

1. Littarru, G. P., & Tiano, L. (2007). Bioenergetic and antioxidant properties of coenzyme Q10: Recent developments. *Molecular Biotechnology*, 37(1), 31-37. <https://doi.org/10.1007/s12033-007-0035-1>
2. Crane, F. L. (2001). Biochemical functions of coenzyme Q10. *Journal of the American College of Nutrition*, 20(6), 591-598. <https://doi.org/10.1080/07315724.2001.10719063>
3. Bhagavan, H. N., & Chopra, R. K. (2006). Coenzyme Q10: Absorption, tissue uptake, metabolism and pharmacokinetics. *Free Radical Research*, 40(5), 445-453. <https://doi.org/10.1080/10715760600617843>
4. Langsjoen, P. H., & Langsjoen, A. M. (1999). Overview of the use of CoQ10 in cardiovascular disease. *BioFactors*, 9(2-4), 273-284. <https://doi.org/10.1002/biof.5520090229>
5. Ernster, L., & Dallner, G. (1995). Biochemical, physiological and medical aspects of ubiquinone function. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1271(1), 195-204. [https://doi.org/10.1016/0925-4439\(95\)00028-3](https://doi.org/10.1016/0925-4439(95)00028-3)

- Other Actives: Trihydroxystilbene Viniferin

References

1. Viniferins: A Review of the Natural Oligomers of Resveratrol and Their Pharmacological Potentials. Gambini, J., Inglés, M., Olasso-Gonzalez, G., et al. (2015) <https://doi.org/10.1002/biof.1225>
2. Antiproliferative activity of resveratrol and derivatives against human colon cancer cells: role of the mitochondrial pathway Zghonda, N., Yoshida, M., et al. (2011) <https://doi.org/10.1016/j.lfs.2011.04.022>
3. Epsilon-viniferin: A stilbenoid dimer with antioxidant and anti-inflammatory activities Shen, T., Wang, X-N., et al. (2009) <https://doi.org/10.1016/j.phytochem.2009.03.013>

- Other Actives: Ginkgo Biloba

References

1. Ginkgo biloba extract in the treatment of dementia: a systematic review Weinmann, S., Roll, S., Schwarzbach, C., et al. (2010) <https://doi.org/10.1016/j.euroneuro.2010.06.007>
2. The efficacy of Ginkgo biloba on cognitive function in Alzheimer's disease Oken, B.S., et al. (1998) <https://doi.org/10.1001/archinte.158.20.2245>
3. Ginkgo biloba extract EGb 761® in the treatment of tinnitus: a systematic review von Boetticher, A. (2011) <https://doi.org/10.1016/j.ijporl.2010.11.027>



Result Observational Studies

Revercell - Metbolic Therapy

Results of observational studies for the indication of the treatment of the following medical parameters.

Preventive therapeutic action in patients with some genetic predisposition.

The therapeutic action as a primary treatment in patients with degenerative diseases that for several years were treated with conventional medicine and the expected results are not observed.

The therapeutic action as an adjuvant or reinforcement in the chaos of various pathologies combined with traditional allopathic medicines.

Medical experience

Medical professionals report that the symptoms of patients treated for 3 months stabilized.

Intoxications

Patients working with heavy metals experienced an improvement of heavy metal intoxication symptoms.

Vitality

The use of REVERCELL increased the energy levels of treated patients.

General condition

Most treated patients reported that they rested and recovered faster.

Emotional stability

Patients report improved resistance to stress after treatment with REVERCELL.

Cardiovascular disease

Physicians report a reduced risk of high blood pressure.

